

Welcome to IEEE Xplore®

- Home
- What Can I Access?
- Log-out

Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced
- CrossRef

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

IEEE Enterprise

- Access the IEEE Enterprise File Cabinet

 Print Format

Your search matched **8 of 1108362** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or enter a new one in the text box.

Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Mining Sequential Patterns from Multidimensional Sequence Data

Chung-Ching Yu; Yen-Liang Chen;

Knowledge and Data Engineering, IEEE Transactions on , Volume: 17 , Issue: 1 , Jan. 2005

Pages:136 - 140

[\[Abstract\]](#) [\[PDF Full-Text \(440 KB\)\]](#) **IEEE JNL**

2 Mining sequential patterns by pattern-growth: the PrefixSpan approach

Jian Pei; Jiawei Han; Mortazavi-Asl, B.; Jianyong Wang; Pinto, H.; Qiming Chen; Dayal, U.; Mei-Chun Hsu;

Knowledge and Data Engineering, IEEE Transactions on , Volume: 16 , Issue: 11 , Nov. 2004

Pages:1424 - 1440

[\[Abstract\]](#) [\[PDF Full-Text \(1376 KB\)\]](#) **IEEE JNL**

3 Mining sequential patterns with regular expression constraints

Garofalakis, M.; Rastogi, R.; Shim, K.;

Knowledge and Data Engineering, IEEE Transactions on , Volume: 14 , Issue: 3 , May-June 2002

Pages:530 - 552

[\[Abstract\]](#) [\[PDF Full-Text \(577 KB\)\]](#) **IEEE JNL**

4 A high efficient algorithm of mining sequential patterns

Qin Feng; Yang Xue-Bing;

Intelligent Control and Automation, 2000. Proceedings of the 3rd World Congress on , Volume: 5 , 28 June-2 July 2000

Pages:3750 - 3752 vol.5

[\[Abstract\]](#) [\[PDF Full-Text \(196 KB\)\]](#) [IEEE CNF](#)

5 Mining sequential patterns using graph search techniques

Yin-Fu Huang; Shao-Yuan Lin;
Computer Software and Applications Conference, 2003. COMPSAC 2003.
Proceedings. 27th Annual International , 3-6 Nov. 2003
Pages:4 - 9

[\[Abstract\]](#) [\[PDF Full-Text \(266 KB\)\]](#) [IEEE CNF](#)

6 A FSA-based approach for mining sequential patterns with user-specified skeletons

XiaoShu Hang; He Huang; Hongchu Yuan; Fanlun Xiong;
Intelligent Control and Automation, 2002. Proceedings of the 4th World Congress , Volume: 1 , 10-14 June 2002
Pages:537 - 541 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(379 KB\)\]](#) [IEEE CNF](#)

7 PrefixSpan,: mining sequential patterns efficiently by prefix-projected pattern growth

Jian Pei; Jiawei Han; Mortazavi-Asl, B.; Pinto, H.; Qiming Chen; Dayal, U.; Meng-Chun Hsu;
Data Engineering, 2001. Proceedings. 17th International Conference on , 2-6 June 2001
Pages:215 - 224

[\[Abstract\]](#) [\[PDF Full-Text \(848 KB\)\]](#) [IEEE CNF](#)

8 Mining sequential patterns

Agrawal, R.; Srikant, R.;
Data Engineering, 1995. Proceedings of the Eleventh International Conference on , 6-10 March 1995
Pages:3 - 14

[\[Abstract\]](#) [\[PDF Full-Text \(796 KB\)\]](#) [IEEE CNF](#)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"20030074440"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/05 10:57
S2	1	"6697802"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/05 11:09
S3	9	709/223 and (event near relationship)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/05 13:15
S4	1	2002/0073195	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/07 09:26
S5	6	709/223 and (event near relationship) and link and node and correlation	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/06 10:31
S8	17	(709/223 or 709/224 or 709/225 or 709/226) and (event near relationship) and link and node and correlation	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/06 11:48
S9	1	"6697791"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/06 09:02
S10	9	(event near (relationship or management)) and link and node and (correlation near rule)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/06 10:28
S11	6	709/223 and (event near relationship) and correlation	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/06 11:40
S12	6	709/223 and (event near relationship) and link and node and correlation	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/06 10:32
S13	0	S11 not S12	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/06 10:32
S14	0	"09359874"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/06 11:47
S15	193	"data mining algorithm"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/06 11:56
S16	16	(709/223 or 709/224 or 709/225 or 709/226) and "data mining algorithm"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/06 11:49
S17	112	"data mining algorithm" and @ad<"20011012"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/06 11:58

S18	98	S17 not S16	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/06 11:58
S19	0	(event near relationship) and node and "chi-suqare" and correlation	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/06 14:00
S20	42	(event near relationship) and link and node and correlation	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/07 09:37
S21	1	("20020073195").PN.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/07 09:26
S22	53	(event near relationship) and correlation and (statisti\$3 or "chi-square" or (chi near square))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/07 09:54
S23	6	(event near relationship) and correlation and (statisti\$3 or "chi-square" or (chi near square)) and (pairwise or "pair wise")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/07 10:05
S24	30	(event near relationship) and correlation and (statisti\$3 or "chi-square" or (chi near square)) and (pairwise or "pair wise" or pair)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/07 10:07
S25	24	S24 not S23	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/07 10:05
S26	12	(event near relationship) and correlation and (statisti\$3 or "chi-square" or (chi near square)) and (pairwise or "pair wise" or pair) and @ad<"20011012"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/07 10:08
S27	12	S26 not S23	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/01/07 10:08